
Bike	Kawasaki Z900 RS Euro 5+	**Part No.**	PKA-155
Year	2025-Current	**Fit Kit**	Z039.10639
Notes	Where not supplied use original fittings. Re-use O.E. Gasket on Scorpion system.	**dB Killer**	SCEXDBK46 - (TYPE PA)

Estimated Fitting Time: 30 Minutes



NO.	PART NO.	DESCRIPTION	QTY
1	PSC572	Red Power Silencer	1
2	CP1261	Connecting Pipe	1
Fit Kit - Z039.10639			
3	Z017.10076	M8 x 40mm Cap Head Bolt	1
4	Z026.20068	Alloy Bolt Finisher	1
5	Z017.10825	M8 x 25mm Washer	1
6	Z017.10062	M8 Nyloc Nut	1
7	Z016.10002	51-55mm Clamp	1

CLASSIFICATION	Closed Circuit Product
HOMOLOGATED	NO
DATE	27/10/2026
ISSUE	01
AUTHORISED	G O'Shea

NOTE: ENSURE SCORPION SYSTEM IS CLEAR OF MOVING PARTS AND ALL ORIGINAL FUNCTIONS WORK CORRECTLY.

Bike	Kawasaki Z900 RS Euro 5+	Part No.	PKA-155
Year	2025-Current	Fit Kits	Z039.10639
Notes	Where not supplied use original fittings. Re-use O.E. Gasket on Scorpion system.	dB Killer	SCEXDBK46 - (TYPE PA)






A) Loosen the exhaust clamp.

B) Support the weight of the silencer, then remove the mounting bolt.

C) Carefully remove the original silencer.

D) If the gasket has stayed with the silencer, remove it now as you will need to use it with the Scorpion Exhaust.





E) If you had to remove the gasket from the silencer, re-fit it to the original exhaust now.

F) Place the original silencer on a soft, clean surface and remove the heat shield mounting bolt. The heat shield should then slide off.

G) Slide the rubber mount for the heat shield off the original exhaust.

H) Fit the rubber to the Scorpion connecting pipe.









Bike	Kawasaki Z900 RS Euro 5+	Part No.	PKA-155
Year	2025-Current	Fit Kits	Z039.10639
Notes	Where not supplied use original fittings. Re-use O.E. Gasket on Scorpion system.	dB Killer	SCEXDBK46 - (TYPE PA)





I) Slide the Scorpion connecting pipe and clamp over the gasket. Fit the original heat shield to the connecting pipe using the original mounting bolt.

J) Slide the Scorpion silencer on to the connecting pipe and roughly align the mounting bracket with the mounting point on the bike.

K) Loosely secure in place with the supplied mounting hardware. You will fully tighten in a later step.

L) Fully tighten the exhaust clamp.

M) Fully tighten the silencer mounting bolt.

When fitted take bike for a short ride to ensure all functions are correct. When bike & exhaust are cool enough check all nuts and bolts are still secure.







Bike	Kawasaki Z900 RS Euro 5+	**Part No.**	PKA-155
Year	2025-Current	**Fit Kit**	Z039.10639
Notes	Where not supplied use original fittings. Re-use O.E. Gasket on Scorpion system.	**dB Killer**	SCEXDBK46 - (TYPE PA)

Estimated Fitting Time: 30 Minutes





Thank you for purchasing your Scorpion Silencer.
Care of your exhaust: Please refrain from cleaning silencer with heavy solvents or abrasives!

Vielen Dank Fur den kauf eines Scorpion Schalldampfers! Pflegehinweis: Bitte verwenden Sie niemals Scheuermittel oder aggressive Reiniger zur Pflege Ihres Auspuffes!

Merci d'avoir choisi un echappement Scorpion.
Entretien de votre silencieux: Ne pas utiliser de solvants ou de produits abrasifs!

Muchas gracias por adquirir un Silencioso Scorpion. Le recomendamos no limpiar el silencioso con productos abrasivos o aquellos que contengan disolventes.