
Bike	Kawasaki Ninja 1100 SX & SX SE, Euro 5+	**Part No.**	PKA-153
Year	2025-Current	**Fit Kit**	Z039.10787
Notes	Where not supplied use original fittings. Fits with panniers only Remove O.E. gasket before fitting exhaust.	**dB Killer**	N/A

Estimated Fitting Time: 60 Minutes



REMOVE O.E. GASKET
BEFORE FITTING
SCORPION EXHAUST.

NO.	PART NO.	DESCRIPTION	QTY
1	PSC503	Red Power Silencer	1
2	Z035.11098	Connecting Pipe And Carbon Fibre Heat Sheild (Z028.20406)	1
Fit Kit - Z039.10787			
3	Z017.10073	M8 x 25mm Cap Head Bolt	1
4	Z026.20068B	Alloy Bolt Finisher Anodised Black	2
5	Z007.31682	Mounting Bracket	1
6	Z017.10080	M8 x 60mm Cap Head Bolt	1
7	Z017.10825	M8 x 25mm Wahser	2
8	Z017.10062	M8 Nyloc Nut	2
9	Z016.10004	55-59mm Clamp	1

CLASSIFICATION	Closed Circuit Product
HOMOLOGATED	NO
DATE	27/10/2026
ISSUE	01
AUTHORISED	G O'Shea

NOTE: ENSURE SCORPION SYSTEM IS CLEAR OF MOVING PARTS AND ALL ORIGINAL FUNCTIONS WORK CORRECTLY.


Bike	Kawasaki Ninja 1100 SX & SX SE, Euro 5+	Part No.	PKA-153
Year	2025-Current	Fit Kits	Z039.10787
Notes	Where not supplied use original fittings. Fits with panniers only Remove O.E. gasket before fitting exhaust.	dB Killer	N/A






A) Remove the two bolts from the exhaust cover.

B) Slide the cover towards the front of the bike to remove it.







C) Loosen the exhaust clamp.

D) Supporting the weight of the silencer, remove the mounting bolt.

E) Carefully remove the silencer and the gasket. You won't need to use a gasket with the Scorpion exhaust.





F) Slide the Scorpion connecting pipe, with the clamp, on to the original exhaust pipe.


G) Using the supplied hardware, attach the mounting bracket to the original mounting point on the frame. Leave loose for now, you will fully tighten in a later step.






H) Slide the Scorpion silencer on to the connecting pipe.

Bike	Kawasaki Ninja 1100 SX & SX SE, Euro 5+	Part No.	PKA-153
Year	2025-Current	Fit Kits	Z039.10787
Notes	Where not supplied use original fittings. Fits with panniers only Remove O.E. gasket before fitting exhaust.	dB Killer	N/A





I) Align the silencer with the mounting bracket and secure in place with the supplied hardware. Leave loose for now, you will fully tighten in a later step.

J) Fully tighten the exhaust clamp.

K) Fully tighten the upper mounting bolt.

L) Fully tighten the lower mounting bolt.





When fitted take bike for a short ride to ensure all functions are correct. When bike & exhaust are cool enough check all nuts and bolts are still secure.

Bike	Kawasaki Ninja 1100 SX & SX SE, Euro 5+	**Part No.**	PKA-153
Year	2025-Current	**Fit Kit**	Z039.10787
Notes	Where not supplied use original fittings. Fits with panniers only Remove O.E. gasket before fitting exhaust.	**dB Killer**	N/A

Estimated Fitting Time: 60 Minutes



Thank you for purchasing your Scorpion Silencer.
Care of your exhaust: Please refrain from cleaning silencer with heavy solvents or abrasives!

Vielen Dank Fur den kauf eines Scorpion Schalldampfers! Pflegehinweis: Bitte verwenden Sie niemals Scheuermittel oder aggressive Reiniger zur Pflege Ihres Auspuffes!

Merci d'avoir choisi un echappement Scorpion.
Entretien de votre silencieux: Ne pas utiliser de solvants ou de produits abrasifs!

Muchas gracias por adquirir un Silencioso Scorpion. Le recomendamos no limpiar el silencioso con productos abrasivos o aquellos que contengan disolventes.